CLAIMS:

What is claimed is:

- 1 1. A method in a data processing system for minimizing
- 2 inconsistency between a set of data sources, the method
- 3 comprising:
- 4 sending a first signal indicating that new content
- 5 is present for the set of data sources;
- 6 transmitting the new content to the set of data
- 7 sources, wherein the new content is unavailable for
- 8 distribution by the set of data sources until a second
- 9 signal is received by the set of data sources; and
- sending the second signal to the set of data sources
- 11 if an acknowledgment is received from all of the set of
- 12 data sources.
 - 1 2. The method of claim 1 further comprising:
 - 2 sending the second signal to each data sources
 - 3 returning the acknowledgment after a period of time has
 - 4 passed without all of the set of data sources returning
 - 5 the acknowledgment.
 - 1 3. The method of claim 2 further comprising:
 - 2 removing a node from the set of nodes if the node
 - 3 fails to return the acknowledgment within the period of
 - 4 time.

- 1 4. The method of claim 1, wherein the first signal is a
- 2 pull notification indicating that the new content will be
- 3 pulled by the set of nodes.
- 1 5. The method of claim 1, wherein the second signal is
- 2 a push notification indicating the new content will be
- 3 transmitted to the set of nodes.
- 1 6. The method of claim 1, wherein the new content is an
- 2 update to existing content located at the set of nodes.
- 1 7. The method of claim 1, wherein the set of nodes
- 2 includes at least one of a Web server and a data cache.
- 1 8. The method of claim 1 further comprising:
- billing a set of clients for maintaining content at
- 3 the set of data sources.
- 1 9. The method of claim 1 further comprising:
- 2 receiving the new content from a client based on a
- 3 contract with the client to maintain content at the set
- 4 of data sources.
- 1 10. The method of claim 1, wherein the first signal
- 2 includes the content.

- 1 11. A method in a data processing system for providing
- 2 content, the method comprising:
- 3 receiving a first signal to obtain new content from
- 4 a server;
- 5 receiving the new content after receiving the first
- 6 signal;
- 7 storing the new content in a location in which the
- 8 new content is unavailable to clients until a second
- 9 signal is received;
- sending an acknowledgment after all of the new
- 11 content is received; and
- making the new content available to clients in
- 13 response to receiving a second signal.
 - 1 12. The method of claim 11, wherein the content is
 - 2 received using a pull mechanism.
 - 1 13. The method of claim 11, wherein the content is
 - 2 received using a push mechanism.
 - 1 14. The method of claim 11, wherein the data processing
 - 2 system is one of a Web server and a data cache.
 - 1 15. The method of claim 11 further comprising:
 - 2 providing current content instead of new content if
 - 3 an absence of the second signal is present.

- 1 16. A method in a data processing system for providing
- 2 content, the method comprising:
- 3 receiving new content from a customer;
- 4 transmitting the new content to a set of data
- 5 sources, wherein the new content is unavailable for
- 6 distribution by the set of data sources until a selected
- 7 signal is received by the set of data sources; and
- 8 sending the selected signal to the set of data
- 9 sources if an acknowledgment is received from all of the
- 10 set of data sources.
- 1 17. The method of claim 16, wherein the new content is a
- 2 Web page.
- 1 18. The method of claim 16 further comprising:
- 2 billing the client for maintaining the content at
- 3 the set of data sources.
- 1 19. The method of claim 16, wherein the set of nodes
- 2 includes at least one of a Web server and a data cache.
- 1 20. A method in a data processing system for minimizing
- 2 a window of inconsistency in data between a plurality of
- 3 nodes, the method comprising:

- 4 sending a new content signal indicating that new
- 5 content is present for the plurality of nodes;
- 6 monitoring for acknowledgments from the set
- 7 plurality of nodes; and responsive to receiving
- 8 acknowledgments from all nodes within the plurality of
- 9 nodes, sending a publish signal to the plurality of
- 10 nodes, wherein the signal causes the plurality of nodes
- 11 to make the new content available when the publish signal
- 12 is received.
 - 1 21. The method of claim 20 further comprising:
 - 2 transmitting the new content to the plurality of
 - 3 nodes.
 - 1 22. The method of claim 21, wherein the new content is
 - 2 pushed to the plurality of nodes.
 - 1 23. The method of claim 20, wherein the new content is
 - 2 pulled by the plurality of nodes.
 - 1 24. A data processing system comprising:
 - 2 a bus system;
 - a communications unit connected to the bus system;
 - a memory connected to the bus system, wherein the
 - 5 memory includes a set of instructions; and

- a processing unit connected to the bus system,
- 7 wherein the processing unit executes the set of
- 8 instructions to send a first signal indicating that new
- 9 content is present for a set of data sources; transmit
- 10 the new content to the set of data sources, wherein the
- 11 new content is unavailable for distribution by the set of
- 12 data sources until a second signal is received by the set
- of data sources; and send the second signal to the set of
- 14 data sources if an acknowledgment is received from all of
- 15 the set of data sources.
 - 1 25. A data processing system comprising:
 - 2 a bus system;
 - a communications unit connected to the bus system;
 - 4 a memory connected to the bus system, wherein the
 - 5 memory includes a set of instructions; and
 - a processing unit connected to the bus system,
 - 7 wherein the processing unit executes the set of
 - 8 instructions to receive a first signal to obtain new
 - 9 content from a server; receive the new content after
- 10 receiving the first signal; store the new content in a
- 11 location in which the new content is unavailable to
- 12 clients until a second signal is received; send an
- 13 acknowledgment after all of the new content is received;
- 14 and make the new content available to clients in response
- 15 to receiving a second signal.

- 1 26. A data processing system comprising:
- 2 a bus system;
- a communications unit connected to the bus system;
- a memory connected to the bus system, wherein the
- 5 memory includes a set of instructions; and
- a processing unit connected to the bus system,
- 7 wherein the processing unit executes the set of
- 8 instructions to receive new content from a customer;
- 9 transmit the new content to a set of data sources,
- 10 wherein the new content is unavailable for distribution
- 11 by the set of data sources until a selected signal is
- 12 received by the set of data sources; and send the
- 13 selected signal to the set of data sources if an
- 14 acknowledgment is received from all of the set of data
- 15 sources.
 - 1 27. A data processing system comprising:
 - 2 a bus system;
 - a communications unit connected to the bus system;
 - 4 a memory connected to the bus system, wherein the
 - 5 memory includes a set of instructions; and
 - a processing unit connected to the bus system,
 - 7 wherein the processing unit executes the set of
 - 8 instructions to send a new content signal indicating that
 - 9 new content is present for the plurality of nodes,

- 10 monitor for acknowledgments from the set plurality of
- 11 nodes, and send a publish signal to the plurality of
- 12 nodes in response to receiving acknowledgments from all
- 13 nodes within the plurality of nodes, wherein the signal
- 14 causes the plurality of nodes to make the new content
- 15 available when the publish signal is received.
 - 1 28. The data processing system of claim 27, wherein the
 - 2 new content is pushed to the plurality of nodes.
 - 1 29. The data processing system of claim 27, wherein the
 - 2 new content is pulled by the plurality of nodes.
 - 1 30. A data processing system for minimizing
 - 2 inconsistency between a set of data sources, the data
 - 3 processing system comprising:
 - 4 first sending means for sending a first signal
 - 5 indicating that new content is present for the set of
 - 6 data sources;
 - 7 transmitting means for transmitting the new content
 - 8 to the set of data sources, wherein the new content is
 - 9 unavailable for distribution by the set of data sources
- 10 until a second signal is received by the set of data
- 11 sources; and

- second sending means for sending the second signal
- 13 to the set of data sources if an acknowledgment is
- 14 received from all of the set of data sources.
 - 1 31. The data processing system of claim 30 further
 - 2 comprising:
 - 3 third sending means for sending the second signal to
 - 4 each data sources returning the acknowledgment after a
 - 5 period of time has passed without all of the set of data
 - 6 sources returning the acknowledgment.
 - 1 32. The data processing system of claim 31 further
 - 2 comprising:
 - 3 removing means for removing a node from the set of
 - 4 nodes if the node fails to return the acknowledgment
 - 5 within the period of time.
 - 1 33. The data processing system of claim 30, wherein the
 - 2 first signal is a pull notification indicating that the
 - 3 new content will be pulled by the set of nodes.
 - 1 34. The data processing system of claim 30, wherein the
 - 2 second signal is a push notification indicating the new
 - 3 content will be transmitted to the set of nodes.

- 1 35. The data processing system of claim 30, wherein the
- 2 new content is an update to existing content located at
- 3 the set of nodes.
- 1 36. The data processing system of claim 30, wherein the
- 2 set of nodes includes at least one of a Web server and a
- 3 data cache.
- 1 37. The data processing system of claim 30 further
- 2 comprising:
- 3 billing means for billing a set of clients for
- 4 maintaining content at the set of data sources.
- 1 38. The data processing system of claim 30 further
- 2 comprising:
- 3 receiving means for receiving the new content from a
- 4 client based on a contract with the client to maintain
- 5 content at the set of data sources.
- 1 39. The data processing system of claim 30, wherein the
- 2 first signal includes the content.
- 1 40. A data processing system for providing content, the
- 2 data processing system comprising:
- 3 first receiving means for receiving a first signal
- 4 to obtain new content from a server;

- second receiving means for receiving the new content
- 6 after receiving the first signal;
- 7 storing means for storing the new content in a
- 8 location in which the new content is unavailable to
- 9 clients until a second signal is received;
- sending means for sending an acknowledgment after
- 11 all of the new content is received; and
- making means for making the new content available to
- 13 clients in response to receiving a second signal.
 - 1 41. The data processing system of claim 40, wherein the
 - 2 content is received using a pull mechanism.
 - 1 42. The data processing system of claim 40, wherein the
 - 2 content is received using a push mechanism.
 - 1 43. The data processing system of claim 40, wherein the
 - 2 data processing system is one of a Web server and a data
 - 3 cache.
 - 1 44. The data processing system of claim 40 further
 - 2 comprising:
 - 3 providing means for providing current content
 - 4 instead of new content if an absences of the second
 - 5 signal is present.

- 1 45. A data processing system for providing content, data
- 2 processing system comprising:
- 3 receiving means for receiving new content from a
- 4 customer;
- 5 transmitting means for transmitting the new content
- 6 to a set of data sources, wherein the new content is
- 7 unavailable for distribution by the set of data sources
- 8 until a selected signal is received by the set of data
- 9 sources; and
- sending means for sending the selected signal to the
- 11 set of data sources if an acknowledgment is received from
- 12 all of the set of data sources.
 - 1 46. The data processing system of claim 45, wherein the
 - 2 new content is a Web page.
 - 1 47. The data processing system of claim 45 further
 - 2 comprising:
 - 3 billing means for billing the client for maintaining
 - 4 the content at the set of data sources.
 - 1 48. The data processing system of claim 45, wherein the
 - 2 set of nodes includes at least one of a Web server and a
 - 3 data cache.

- 1 49. A data processing system for minimizing a window of
- 2 inconsistency in data between a plurality of nodes, the
- 3 data processing system comprising:
- 4 sending means for sending a new content signal
- 5 indicating that new content is present for the plurality
- 6 of nodes;
- 7 monitoring means for monitoring for acknowledgments
- 8 from the set plurality of nodes; and
- 9 sending means, responsive to receiving
- 10 acknowledgments from all nodes within the plurality of
- 11 nodes, sending a publish signal to the plurality of
- 12 nodes, wherein the signal causes the plurality of nodes
- 13 to make the new content available when the publish signal
- 14 is received.
 - 1 50. The data processing system of claim 49 further
 - 2 comprising:
 - 3 transmitting means for transmitting the new content
 - 4 to the plurality of nodes.
 - 1 51. The data processing system of claim 50, wherein the
 - 2 new content is pushed to the plurality of nodes.
 - 1 52. The data processing system of claim 49, wherein the
 - 2 new content is pulled by the plurality of nodes.

- 1 53. A computer program product in a computer readable
- 2 medium for minimizing inconsistency between a set of data
- 3 sources, the computer program product comprising:
- 4 first instructions for sending a first signal
- 5 indicating that new content is present for the set of
- 6 data sources;
- 7 second instructions for transmitting the new content
- 8 to the set of data sources, wherein the new content is
- 9 unavailable for distribution by the set of data sources
- 10 until a second signal is received by the set of data
- 11 sources; and
- third instructions for sending the second signal to
- 13 the set of data sources if an acknowledgment is received
- 14 from all of the set of data sources.
 - 1 54. The computer program product of claim 53 further
 - 2 comprising:
 - 3 fourth instructions for sending the second signal to
 - 4 each data sources returning the acknowledgment after a
 - 5 period of time has passed without all of the set of data
 - 6 sources returning the acknowledgment.
 - 1 55. The computer program product of claim 54 further
 - 2 comprising:

- 3 fifth instructions for removing a node from the set
- 4 of nodes if the node fails to return the acknowledgment
- 5 within the period of time.
- 1 56. The computer program product of claim 53, wherein
- 2 the first signal is a pull notification indicating that
- 3 the new content will be pulled by the set of nodes.
- 1 57. The computer program product of claim 53, wherein
- 2 the second signal is a push notification indicating the
- 3 new content will be transmitted to the set of nodes.
- 1 58. The computer program product of claim 53, wherein
- 2 the new content is an update to existing content located
- 3 at the set of nodes.
- 1 59. The computer program product of claim 53, wherein
- 2 the set of nodes includes at least one of a Web server
- 3 and a data cache.
- 1 60. The computer program product of claim 53 further
- 2 comprising:
- 3 fourth instructions for billing a set of clients for
- 4 maintaining content at the set of data sources.

- 1 61. The computer program product of claim 53 further
- 2 comprising:
- 3 fourth instructions for receiving the new content
- 4 from a client based on a contract with the client to
- 5 maintain content at the set of data sources.
- 1 62. The computer program product of claim 53, wherein
- 2 the first signal includes the content.
- 1 63. A computer program product in a computer readable
- 2 medium for providing content, the computer program
- 3 product comprising:
- 4 first instructions for receiving a first signal to
- 5 obtain new content from a server;
- 6 second instructions for receiving the new content
- 7 after receiving the first signal;
- 8 third instructions for storing the new content in a
- 9 location in which the new content is unavailable to
- 10 clients until a second signal is received;
- fourth instructions for sending an acknowledgment
- 12 after all of the new content is received; and
- 13 fifth instructions for making the new content
- 14 available to clients in response to receiving a second
- 15 signal.

- 1 64. The computer program product of claim 63, wherein
- 2 the content is received using a pull mechanism.
- 1 65. The computer program product of claim 63, wherein
- 2 the content is received using a push mechanism.
- 1 66. The computer program product of claim 63, wherein
- 2 the data processing system is one of a Web server and a
- 3 data cache.
- 1 67. The computer program product of claim 63 further
- 2 comprising:
- 3 fourth instructions for providing current content
- 4 instead of new content if an absence of the second signal
- 5 is present.
- 1 68. A computer program product in a computer readable
- 2 medium for providing content, the computer program
- 3 product comprising:
- 4 first instructions for receiving new content from a
- 5 customer;
- 6 second instructions for transmitting the new content
- 7 to a set of data sources, wherein the new content is
- 8 unavailable for distribution by the set of data sources
- 9 until a selected signal is received by the set of data
- 10 sources; and

- 11 third instructions for sending the selected signal
- 12 to the set of data sources if an acknowledgment is
- 13 received from all of the set of data sources.
 - 1 69. The computer program product of claim 68, wherein
 - 2 the new content is a Web page.
 - 1 70. The computer program product of claim 68 further
 - 2 comprising:
 - 3 fourth instructions for billing the client for
 - 4 maintaining the content at the set of data sources.
 - 1 71. The computer program product of claim 68, wherein
 - 2 the set of nodes includes at least one of a Web server
 - 3 and a data cache.
 - 1 72. A computer program product in a computer readable
 - 2 medium for minimizing a window of inconsistency in data
 - 3 between a plurality of nodes, the computer program
 - 4 product comprising:
 - first instructions for sending a new content signal
 - 6 indicating that new content is present for the plurality
 - 7 of nodes;
 - 8 second instructions for monitoring for
 - 9 acknowledgments from the set plurality of nodes; and

- third instructions, responsive to receiving
- 11 acknowledgments from all nodes within the plurality of
- 12 nodes, sending a publish signal to the plurality of
- 13 nodes, wherein the signal causes the plurality of nodes
- 14 to make the new content available when the publish signal
- 15 is received.
 - 1 73. The computer program product of claim 72 further
 - 2 comprising:
 - 3 fourth instructions for transmitting the new
 - 4 content to the plurality of nodes.
 - 1 74. The computer program product of claim 73, wherein
 - 2 the new content is pushed to the plurality of nodes.
 - 1 75. The computer program product of claim 72, wherein
 - 2 the new content is pulled by the plurality of nodes.